








Black rubber	Dimensions (mm) W x D x H	Colour	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	600 x 300 x 100	Black rubber, yellow reflective inserts	11	279.23.929	5 / 10 days
	600 x 360 x 150		20	279.20.108	
	Standard 605 x 265 x 95	Black rubber (Recyclable)	8	279.20.364	3 / 5 days

TRAFFIC-LINE Impact Protection Heavy Duty Buffers



	Description	Section (mm)	Length (mm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	<b>Loading bay buffer 35/90</b>		250	1.5	422.19.920	5 / 10 days
			1,000	4	422.15.292	
	<b>Loading bay buffer 50/120</b>		250	2	422.17.684	
			1,000	6	422.16.763	
	<b>Loading bay buffer 100/80</b>		250	2.5	422.16.355	
			1,000	7	422.19.641	

TRAFFIC-LINE Hose/Cable Protection Ramps

Colour: black with yellow reflective strips	Dimensions 855 x 300 x 85mm L/W/H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
		8.5	279.14.327	3 / 5 days







TRAFFIC-LINE Cable/Hose Protection Ramp – small

Product description page 93

3 channels – 1 x 45mm, 2 x 20mm	Dimensions 1,200mmL x 215mmW x 65mmH	Colour	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
		yellow	12.8	279.28.720	3 / 5 days
		black		279.21.784	



TRAFFIC-LINE Cable Protection Ramp – large

Product description page 93



2 x Cable channels 68 x 50mm; 1 x Cable channel 55 x 50mm	Dimensions mm (L/W/H)	Colour	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
		black/ yellow	26.5	279.23.799	3 / 5 days
		black/ yellow	12	279.29.848 (left)	
				279.26.562 (right)	
		black	3	279.20.233	
				279.22.899	

TRAFFIC-LINE Easy-Rider® Speed Reduction Ramp



Product description page 94



56mmH – < 5-10mph	Sections	Colour	Dimensions (mm) L x W x H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	Centre section	black / yellow	1,800 x 305 x 56	35	284.28.793	5 / 10 days
			1,800 x 305 x 70	38	284.25.823	
	End cap	black	225 x 305 x 56	3	284.28.918	
			225 x 305 x 70	4	284.27.095	





Fixing bolts included

50mmH – < 10mph 75mmH – < 5mph	Sections	Colour	Dimensions (mm) L x W x H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	Centre section	black / yellow	900 x 500 x 50	17	284.20.824	5 / 10 days
			900 x 500 x 75	20	284.26.552	
	End cap – Male	black	900 x 450 x 50	14	284.26.082	
	End cap – Female		900 x 450 x 75	16	284.28.854	
			900 x 450 x 50	14	284.25.564	
			900 x 450 x 75	16	284.22.604	
Fixing bolts – 6 per Centre section and 4 per End section			12/100	0.2	100.17.393	Fixing bolts supplied

**TOPSTOP Speed Reduction Ramps**




<b>TOPSTOP-5</b> Recommended speed < 5mph		Colour	Dimensions (mm) L x W x H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	Ramp section	black	405 x 250 x 70	6.5	280.10.797	5 / 10 days
		yellow			280.12.597	
	End section	yellow	405 x 210 x 70	5.5	280.10.127	
Reinforcing Tube (Diameter)			27/2.7	2	280.10.955	3 / 5 days
It is recommended that appropriate warning signs are used with this product						Fixing bolts included

<b>TOPSTOP-10</b> Recommended speed < 10mph		Colour	Dimensions (mm) L x W x H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	Ramp section	black	340 x 250 x 50	5	280.11.430	5 / 10 days
		yellow			280.12.126	
	End section	yellow	340 x 175 x 50	3	280.12.308	
Reinforcing Tube (Diameter)			27/2.7	2	280.10.955	3 / 5 days
It is recommended that appropriate warning signs are used with this product						Fixing bolts included

<b>TOPSTOP-ECO 5RE</b> Recommended speed < 5mph		Colour	Dimensions (mm) L x W x H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	Ramp section	black	500 x 500 x 70	17	281.14.155	5 / 10 days
		yellow			281.18.436	
	End section – Male	yellow	500 x 250 x 70	5.5	281.18.224	
	End section – Female				281.15.317	



It is recommended that appropriate warning signs are used with this product

Fixing bolts included

<b>TOPSTOP-ECO 10RE</b> Recommended speed < 10mph		Colour	Dimensions (mm) L x W x H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	Ramp section	black	400 x 500 x 50	9.5	281.16.415	5 / 10 days
		yellow			281.18.692	
	End section – Male	yellow	400 x 250 x 50	4	281.19.480	
	End section – Female				281.15.466	




It is recommended that appropriate warning signs are used with this product

Fixing bolts included





<b>TOPSTOP-ECO 15RE</b> Recommended speed < 15mph		Colour	Dimensions (mm) L x W x H	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	Ramp section	black	500 x 500 x 30	8.5	281.15.289	5 / 10 days
		yellow			281.16.941	
	End section	yellow	500 x 250 x 30	3	281.17.266	

It is recommended that appropriate warning signs are used with this product

Fixing bolts included

TRAFFIC-LINE SRA cushion EU		Width (cm)	Length (cm)	Height (cm)	Colour	Delivery weight kg/ea.	Reference	Typical delivery time (working days)
	Corner section right	90	100	6.5	black	36	283.18.772	5 / 10 days
					brick red		283.17.051	
	Corner section left	90	100	6.5	black	36	283.15.584	
					brick red		283.19.093	
	Centre section	90	100	6.5	black	46	283.16.624	
					brick red		283.17.685	
2 part adhesive for TRAFFIC-LINE Speed Reduction cushions.				About 2kg/Sq. m.	13,8	282.18.654		
					6,9	282.17.343		

TRAFFIC-LINE Speed Reduction Plateau


Plateau cushion black (Includes fixing bolts)	Sets	Width (cm)	Length (cm)	Height (cm)	Pieces/Set	Delivery weight kg/ea.	Reference	Typical delivery time (working days)
	Set A	275	425	7.6	24	680	286.20.701	5 / 10 days
	Set B	320	425	7.6	28	820	286.28.260	
	Set C	410	425	7.6	36	1,060	286.24.424	
	Set D	505	425	7.6	44	1,300	286.26.073	

TRAFFIC-LINE Memory Post


With reflective sleeve, without base	Model	Height (cm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	46-BSM	46	1.5	290.17.551	3 / 5 days
	76-BSM	76	2	290.16.336	
	100-BSM	100	2.5	290.19.525	

With reflective sleeve, without base.	Model	Height (cm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	46-BSF	46	1,5	291.18.800	3 / 5 days
	76-BSF	76	2	291.18.390	
	100-BSF	100	2,5	291.13.489	


BASE (Recycled plastic) for Memory Post and Flexible Post.

	Approx. dia. 27cm	6	2	291.11.145	3 / 5 days
---	-------------------	---	---	------------	------------


TRAFFIC-LINE Flexible Post 100mm dia. (For use on private property only).

Red/white Reflective Sleeve	Model	Height (cm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	46-TL	46	1,5	291.10.114	3 / 5 days
	76-TL	76	2	291.12.496	
	100-TL	100	2,5	291.11.558	

BASE (Recycled plastic) for Memory Post and Flexible Post.

	Approx dia 27cm	6	2	291.11.145	3 / 5 days
---	-----------------	---	---	------------	------------


TRAFFIC-LINE Traffic Posts – with Chain Eyes

Red/white reflective sleeve, with Chain eyes. Recycled base not included.	Model	Height (mm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	100-TL	1,050	2.7	291.24.769	5 / 10 days




Red and white reflective panels.	Model	Height (mm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	100-VM	1,097 O/all (997mm above ground)	1.1	168.26.477	5 / 10 days


TRAFFIC-LINE Height Restrictor Bar – Plastic

Red/white reflective bands. Chain attachments each end.	Colour	Dimension (mm) B/Ø	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	red / white	950 / 100	2.7	302.24.997	3 / 5 days

TRAFFIC-LINE Height Restrictor Bar – Aluminium

Reflective, 150 x 20mm Chain suspended.	Colour	Dimensions (mm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	red / white	2,000	6	302.15.082	10 / 15 days
		2,500	7	302.16.975	
		3,000	11	302.18.457	
		4,000	13	302.13.245	
		5,000	15	302.15.125	
	black / yellow	2,000	6	302.16.017	
		2,500	7	302.16.495	
		3,000	11	302.17.584	
		4,000	13	302.13.360	
		5,000	15	302.19.951	

COMPACT Boom Barrier - Gas damper assisted action

Barrier with cylinder lock	Overall width (mm)	Max. drive through width (mm)	Delivery weight (kg/ea.)	Reference	Typical delivery time (working days)
	2,500	1,720	45	224.29.696	20 / 25 days
	3,000	2,220	50	224.22.401	
	3,500	2,720	55	224.20.095	
	4,000	3,220	60	224.28.826	
	4,500	3,720	65	224.29.890	
Accessories				Reference	
Replacement triangular key				130.19.874	20 / 25 days
Pivot post for sub-surface option					
Triangular key option replacing cylinder locks					